




AWNING FABRICS

Block Stripes

Rayures classiques - Blockstreifen - Blokstrepen
Rayas Clásicas - Rigati Classici - Blockrandiga
Pasy Dwubarwne

Orchestra



DICKSON[®]
solar fabrics




BS Rouge
ORC 8557 120




BS Jaune
ORC 8553 120




BS Bruyère
ORC 8921 120




BS Argile
ORC C030 120



BS Gris
ORC 8907 120




BS Ardoise
ORC 8922 120




BS Noir
ORC 8919 120




BS Marine
ORC 8556 120



BS Bleu
ORC 8910 120




BS Azur
ORC C031 120




BS Canard Chiné
ORC C033 120













BS Forêt-Ecru
ORC 8402 120






BS Forêt-Naturel
ORC 8555 120



BS Granny Chiné
ORC C032 120

	 °C	 °C	 °C							
	< 10%	>10% < 20%	> 20%	< 10%	>10% < 20%	> 20%	UV 100%	UV 95%	UV 90%	
ORC 8402 120 BS Forêt-Ecru		•			•			•		20cm/8"
ORC 8553 120 BS Jaune		•				•		•		20cm/8"
ORC 8555 120 BS Forêt-Naturel		•			•			•		20cm/8"
ORC 8556 120 BS Marine		•			•			•		20cm/8"
ORC 8557 120 BS Rouge		•			•			•		20cm/8"
ORC 8907 120 BS Gris		•			•			•		20cm/8"
ORC 8910 120 BS Bleu		•			•			•		20cm/8"
ORC 8919 120 BS Noir		•			•			•		20cm/8"
ORC 8921 120 BS Bruyère		•			•			•		20cm/8"
ORC 8922 120 BS Ardoise		•			•			•		20cm/8"
ORC C030 120 BS Argile		•			•				•	20cm/8"
ORC C031 120 BS Azur		•			•			•		20cm/8"
ORC C032 120 BS Granny Chiné		•			•			•		20cm/8"
ORC C033 120 BS Canard Chiné		•			•			•		20cm/8"



	 °C				
FR	% de chaleur solaire transmise	% de lumière passant à travers la toile	Protection UV	Equivalences Couleurs	Largeur du motif
EN	% of solar heat transmitted	% of light penetration through the fabric	UV Protection	Colour Equivalents	Pattern width
DE	% Durchlaß von Hitze	% visuelle Transmission (<i>ungehindert passierendes Sonnenlicht in %</i>)	UV-Schutz	Entspricht	Breite Rapport
NL	% doorgelaten zonnewarmte	% licht dat door het doek wordt doorgelaten	UV-Bescherming	Kleuren-Equivalenten	Patroon breedte
ES	% de calor solar transmitido	% de luz que pasa a través de la lona	Protección UVA	Equivalencias de Colores	Ancho del motivo
IT	% di calore solare trasmesso	% di luce che attraversa il tessuto	Protezione UV	Corrispondenze Colori	Larghezza del motivo
SV	% av solvärmen släpps igenom väven	% av solljuset släpps igenom väven	UV-Skydd	Färgmotsvarighet	Mönsterbredd
PL	% przenikanie promieniowania cieplnego	% przenikanie światła słonecznego przez tkaninę	Ochrona przed UV	Ekwiwalentne kolory	Szerokość wzoru



*



Fade resistant
4-5/5 - ISO 105 B04



Protects from the UV and Heat



Mold Resistant



Water & Stain Resistant
>350mm - ISO 811 Schmerber



Tear Resistant



Easy Care



10 rue des Châteaux
BP 109 - Z.I. La Pilaterie
59443 Wasquehal Cedex - France
www.dickson-constant.com
contact@dickson-constant.com
Tél. +33 (0)3 20 45 59 59

GLEN RAVEN™

Performance fabrics for
Solar protection
Outdoor furniture
Indoor furniture
Marine furnishing
Flooring

DICKSON®
innovative textiles for your world

Edition October 2017 - SAS DICKSON CONSTANT - capital 12.640.000 euros - 381 347 970 R.C.S. Lille Métropole - Création : Les Enchanteurs - Photos : Landry Laurie - Glen Raven™ is a trademark of Glen Raven, Inc. - Dickson Constant is a Glen Raven company - *see general warranty conditions on www.dickson-constant.com